
28° LIGHT ENGINE SPECIFICATION SHEET



LIGHT ENGINE (NEPTUNE)

Parameter	Value	Unit	Comment
Projector type	DLP		
Field of View (FOV)	28°	Degree	Diagonal
Image orientation	Portrait		
Aspect ratio	9:16		
Display resolution	480 x 854	Pixels	
Projection type	Colour sequential		
MTF	18	Cycles/degree	≥20% contrast
Flux at exit pupil	>12	Lumens/Watt	
Dimensions	42 x 17.9 x 6.4	mm	
Weight	7	g	
Exit pupil diameter	3.5	mm	
Exit pupil standoff	4	mm	
Operating temperature	5 to 55	°C	
Storage temperature	-30 to 70	°C	



Disclaimer

Information in this document is provided solely in connection with WaveOptics products. WaveOptics Ltd. We reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All WaveOptics products are supplied pursuant to the terms of our module programme or bespoke customer agreement.

Nothing in this Agreement shall be construed as granting or conferring any right in, title to or licence in respect of WaveOptics confidential information or intellectual property rights, which shall remain the property of WaveOptics at all times. No warranty is given by us related to the accuracy or completeness of any confidential information and all implied warranties or representations to that effect (save for fraudulent representations) are hereby excluded.

Unless otherwise set forth in our agreement with you, WaveOptics disclaims any express or implied warranty with respect to the use of our products including without limitation implied warranties of merchantability, fitness for a particular purpose (and their equivalents under the laws of any jurisdiction), and all our products are supplied 'as is' to our customer only.

WaveOptics, 141 Park Drive, Milton Park, Abingdon, Oxfordshire OX14 4SR.

Version 1

19 August 2019

© WaveOptics 2019

